ATTY DKY, No.: U.S. SERVAL NO.: APPLICANT: TITLE: INVENTOR:

118

ANNOTATED SHEET APPM/006768/CPVL/B/PJS

16/712/690 FRED: HEREWITH

APPLIED MATERIALS, INC.
APPARATUS AND METHOD FOR HYBRID CHEMICAL
PROCESSING
LING CHEN, ET AL.
FIGURE 1

1/9 -100 131 130-520 200-140A -~140B -180 132 -134 -110<sup>162A</sup> 162A -122 160 162 104A 168 108-124 117 112 -167 104--114 102-170 **PROCESSOR** 174 RAM 176 166 -HARD DISK DRIVE

Fig. 1

-118A

ANNOTATED SHEET APPM/006766/CPI/L/B/PJS

ATTY DKT. No.: 10/712,690 U.S. SERIAL NO .: APPLICANT: TITLE:

FILED: HEREWITH APPLIED MATERIALS, INC.
APPARATUS AND METHOD FOR HYBRID CHEMICAL
PROCESSING

LING CHEN, ET AL. INVENTOR:

FIGURE 4

3/9




Fig. 4

ATTY DKT. No.:

ANNOTATED SHEET
APPM/006766/CPIL/BIPJS
10/712,690 FILED: HEREWITH

U.S. SERIAL NO.: 10/712,690 APPLIED MATERIALS, INC.
APPARATUS AND METHOD FOR HYBRID CHEMICAL
PROCESSING APPLICANT: TITLE:

INVENTOR: LING CHEN, ET AL. FIGURE 5A & 5B

4/9




Fig. 5A




Fig. 5B